




DiversityGazetteers

DiversityGazetteers is part of the database framework [Diversity Workbench](#). Within this framework the application DiversityGazetteers is confined to the display of geographic places. Any module within the Diversity Workbench is focused on a specific data domain. DiversityGazetteers keeps only data regarding geographic names and places. Data of other realms like e.g. taxonomy are handled in separate modules.

DiversityGazetteers is based on [Microsoft](#) SQL-Server 2008 R2 and the .Net Framework, Version 4.8.

For licence and copyright see the [licence](#) section.


Diversity Workbench modules



Installation


To run DiversityGazetteers, you need the database and the client. All parts are free and can be downloaded from <http://www.microsoft.com/downloads/> and <http://diversityworkbench.net/Portal/DiversityGazetteers>.



The image below gives an overview of the installations and files needed.



Installation of the database


DiversityGazetteers uses Microsoft SQL-Server 2008 or higher as database engine. We recommend to use at least Microsoft SQL-Server 2008 R2, because the database files provided at the DiversityWorkbench homepage are generated for this version. You may use a centralized SQL-Server that is accessible by several users, e.g. over a local area network, or run a local database server on your own PC.

If you do not have a database server with DiversityGazetteers already available, you have to install the database engine first. Download the free version of Microsoft SQL Server 2008 R2 - Express Edition (e.g. SQLEXPADV_x86_DEU.exe) from <http://www.microsoft.com/downloads/>. Start the program and follow the instructions for the installation.


Download the database files  DiversityGazetteers_Data.MDF and  DiversityGazetteers_log.LDF from <http://diversityworkbench.net/Portal/DiversityGazetteers> provided as a zip archive and copy them into your database directory.

Server configuration


To configure your server for remote access, launch the **SQL Server Configuration Manager** (see image below, in this example two SQL-Server "SQLEXPRESS" and "MSSQLSERVER" are installed).



Then click on the "**Protocols** for SQLEXPRESS" node. Right click on "**TCP/IP**" in the list of Protocols and choose "enable" for TCP/IP.




Right click on the TCP/IP node and select "**Properties**" to open a window as shown below.




In the part **IPALL** clear out the value for "TCP Dynamic Ports". Give a **TCP-Port** number to use when making remote connections, e.g. "5432" as shown above. You have to restart the SQL Server Express service before you can connect to your database.

If you use a database on a centralized server that shall be reachable over a computer network, make sure that the firewall of the server allows access via the port you set for the connections (see below).




Start the Microsoft SQL Server Management Studio and attach the database as shown below. Choose the node "databases" and right-click on it to open the context menu (see below). Then choose "attach" from the context menu. A window will open where you can choose the file DiversityGazetteers_Data.MDF from your database directory and attach it to the database engine.




After the installation make sure to get the latest updates from <http://windowsupdate.microsoft.com/>.

Client installation

The client is based on the .NET framework version 3.5 from Microsoft. If not already present, you have to install the framework first. Download and install the Microsoft .NET Framework 3.5 or higher (e.g. dotnetfx35.exe ) - start the program and follow the installation instructions (see <http://www.microsoft.com/downloads/> for the latest versions).

Download the files for DiversityGazetteers from <http://diversityworkbench.net/Portal/DiversityGazetteers> provided as a zip archive. Extract it and copy all files including subdirectories into your DiversityGazetteers directory.



Access to the data

To get access to the data, you have to take several hurdles. In DiversityGazetteers you must be a member of one of the [user groups](#). You have only access to those data, that are listed in the [projects](#) you have access to.



Menu

Overview of the main menu in DiversityGazetteers:

Connection

 **Database ...**

Choose one of the databases available on the server. Only those databases will be listed to which the user has access

 **Module connections ...**

Edit the connections to the other modules within the Diversity Workbench

 **Transfer previous settings**

Transfer the settings for IP address and port of the server, name of the database, login etc. of a previous version of the client to the current version

 **Quit**

Quit the application and stop all processes started by the application

Data

 **Backup database ...**

Create a backup of the currently connected database

 **Import**

Import data

 **Wizard**

Import data from tab-separated text files

 **Gazetteer data ...**

Import data into Gazetteers database

Administration

 **Logins ...**

Administration of the users and their permissions in the database

 **Rename database ...**

Rename the currently connected database

 **Set published DB address ...**

Set the base URL address of the currently connected database

 **Update DB hierarchy cache ...**

Update the hierarchy cache

 **Documentation ...**

Create a database ER diagram and tables for documentation

Update

(Only visible, if a new version is available)

 **Update database ...**

Update to a new available database version

 **Update client ...**

Update to a new available client version

Help

 **Manual**

Opens the online manual

 **Feedback ...**

Opens a window for sending feedback

 **Feedback history ...**

Opens a window for browsing former feedback

Info

Show the version of the program and corresponding information

 **Websites**

Websites related to DiversityGazetteers




 **Download applications ...**



Download DiversityGazetteers from the website of the Diversity Workbench project

 **Information model ...**


Inspect the information model on the website of the Diversity Workbench project

Server connection and database access


To use a database on a local or remote SQL server, start the program  DiversityGazetteers.exe. If you are connected to a database this is indicated in DiversityGazetteers by the icon of the connection button  in the tool bar. If you are not connected the icon  will be shown.


To access a database you must specify the server where the database is located. For the configuration of this connection choose **Connection ->  Database...** from the menu or click on the  button. A dialog window will open. Set the connection parameters as described below.

Specify the name (or IP address) and the port number of the server and select the authentication mode. You can either choose Windows authentication (first image) or SQL-Server authentication (second image).




The standard port number for SQL-Server is 1433 and will be set as a default. If the database server is configured using a port different from that, you must enter the port number in the field Port.


Click on the  button to connect to the server. If the connection informations are valid, you can choose a database of the server from the combobox at the base of the window (third image).

To restart the connection process click on the  button.


If you access a database for the first time you will be asked to consent to the storage and processing of your personal data (see below) according to the General Data Protection Regulation. Without your consent the access is not possible.








Transfer previous settings

If you had used already a previous version of DiversityGazetteers and want to reconnect to the database you had before, you do not have to enter the server and database connection parameters again. Just click on the menu item **Connection ->  Transfer previous settings** and your settings will be restored automatically.

Connections to the databases and services

The program will automatically try to connect to all the modules within the Diversity Workbench. To edit these connections choose **Connection ->  Module connections ...** from the menu. A window as shown below will open:



To edit a connection, select it in the tree and click on the  button. To query the connections use the  button. If you want to add a connection on a different Server, click on the  button and connect to the database you want to add to the list. Added databases will be displayed in green. To remove a connection from the list, select this connection and click on the  button. Webservices like [Index Fungorum](http://webservice.catalogueoflife.org/annua) will be displayed in blue.

Database backup and rename

DiversityGazetteers provides several menu options to manage the database which has been connected. When clicking on one of the following entries, a confirmation window will pop up before the task is executed.

Data -> Backup Database ...

Click on this item to create a backup file of the currently connected database. The backup will be placed on the hard drive of the database server. Be sure that there is enough disk space available for the backup, especially if the server is a virtual device!

Administration -> Rename Database ...

Click to change the name of the currently connected database. If you do this, you will be asked for the base URL address of the database. This is the address that is published by the database for access by other modules. It is recommended to change this URL accordingly, to keep track of it.

Administration -> Set published DB address ...

Click to set the base URL address of the currently connected database separately from renaming it.

Renaming of the database and adapting of the published address should be done **before you start to use the database** and name and address should **not be changed afterwards** as datasets from other modules linked to data in the database would point to outdated addresses otherwise.


Set the hierarchy sequence

DiversityGazetteers provides a menu option to set the hierarchy structure of the gazetteer items. When clicking on the following entry, a confirmation window will pop up before the task is executed.


Administration ->  Update DB hierarchy cache ...


Click to update the hierarchy cache.


Update of database and client


DiversityGazetteers is still in development. Therefore regular updates for the database and the client will be provided. When you start the application and connect to a database, the program will check, if it is compatible with the database or if the database needs an update. It will also check, if a new version of the client is available. In any of these cases an  **Update** entry in the menu will appear. Click on it to open the sub menu.


If the database needs to be updated, it will look like this:




Clicking on  **Update database ...** will open an update window as shown below:





Press the **Start update**  button to run the script. If there are multiple update steps shown in the window, these will be processed consecutively. If the database has been updated successfully, there will be a confirmation message



and the window will look like this:



If a new client is available, the sub menu will show an  **Update client ...** entry:



Click on it to open the DiversityGazetteers software page where you may download the latest version of the application.

... Browser

http://diversityworkbench.net/Portal/DiversityGazetteers

Log in / create account

Page Discussion Read View source View history Search


DiversityGazetteers

DiversityGazetteers is part of the database framework Diversity Workbench. Each DWB module is devoted to a specific data domain.



DiversityGazetteers is a tool to visualize places from a DiversityGazetteers database within a geographical environment. In combination with an automatically created background map, equipped with world coordinates, collections of Microsoft SQL Geometry Objects (points, lines and areas) may be displayed in their geographical context.

Users with administrator rights may import places from other sources (e. g. ArcView shape files) or create places manually using the integrated Diversity GIS Editor. They may also rename existing places or delete them from the database.

▼ Toolbox
Cancel OK




Manual

The online manual DiversityGazetteers.chm  must be placed in your application folder, together with the application DiversityGazetteers.exe. To open this manual and get information to any topic just click within the application DiversityGazetteers on the field you need information about and press F1. To open the manual from the menu, choose **Help** ->  **Manual**.

Version

For information about the version of the client application choose **Help -> Info...**




The current version in the example above is 1.3.6.0.

License

This manual is [copyrighted work licensed under a Creative Commons License](#).

All material in this manual is the property of the contributing authors and fully copyrighted. By choosing this way of publication, the contributing authors have agreed to license the work under a Creative Commons License permitting reproduction, distribution and derivative works, requiring attribution, notice and share-alike, and prohibiting commercial use.

For information about the license of the client software choose **Help -> Info...**




The client software is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation.

The client software is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the [GNU General Public License \(GPL\)](http://www.gnu.org/licenses/gpl.html) for more details.

Feedback

If you have suggestions for improvement, need any changes in the program or encounter an error you can give a feedback to the administrator. Click on the [ALT] and [PRINT] buttons to get a screenshot of your current form. After having created the screenshot choose **Help -> Feedback** from the menu to open the feedback window as shown below.




Click on the **Insert image** button to insert the screenshot and give a comment about your problem. Then click on the **Send feedback** button to send your feedback to the administrator. If you want to receive a message, when the problem you described is solved, please enter your e-mail address in the field under the description.

To inspect your former feedbacks, choose **Feedback history...** from the menu. A window will open, where you can browse your old feedback together with the state of progress.

If you do not have access to the central database for the feedbacks, the program will open your mail client to send an e-mail. In case of bugs in the program it would help if you attach the file **DiversityGazetteersError.log** located in your application directory (see below).


Error logging


If any error messages show up through working with the application you can find further details concerning the part of the application where the error occurred and the parameters involved in the file **DiversityGazetteersError.log** located in your application directory.




Login administration


To administrate the logins on the database server, their permissions resp. roles and access to projects, choose **Administration -> Logins ...** from the menu. A window as shown below will open.




To create a new login, click on the  button in the lower left corner. Another window will open.



Here you can enter the name of the new login, the password and the informations about the

user which will be stored in a DiversityAgents database. Either create a new entry in this database or select an existing one: Click on the  button to search for a name in the database (see below).


To edit the access for a login on the server, select the login in the list. If a login should be disabled , uncheck the enabled checkbox.




All databases on the server will be listed, with the current database showing a **yellow background**. The databases where the login has no access will be listed in gray while the databases accessible for a login are black.

- [-] DiversityAgents
 - DiversityAgents
 - DiversityAgents Base
 - DiversityAgents BayernFlora
 - DiversityAgents IPF
 - DiversityAgents JMRC
 - DiversityAgents Test
 - DiversityAgents Workshop
 - DiversityAgents Workshop on
- [-] DiversityGazetteer
 - DiversityGazetteer Geo
 - DiversityGazetteer Workshop


To give a user access to a database, select the database from the list and check the radio button **In database** as shown below.




Use the > and < buttons to add or remove roles for the login in the database (see below).




Depending on the database you can edit the list of projects accessible for a login (see below). Projects are related to the module DiversityProjects. To get additional informations about a project, select it in the list and click on the 🍷 button.




To load additional projects, click on the **Load projects** 📁 button. A window as shown below will open. Projects already in the database will be listed in green, missing projects in red (see below). Check all projects you need in your database and click the **Start download** 📁 button.



Depending on the database you can edit the settings of a login as shown below.



If you want to use settings already defined for another login, click on the Search template button. A window will open, where you can choose among the settings defined for logins in the database.



User groups

A user can be in 3 groups with diverse rights in the database where certain higher groups have all rights of lower groups in addition to special rights for this group, e.g. the group DiversityWorkbenchUser can only read the data of certain tables while DiversityWorkbenchEditor has the rights of DiversityWorkbenchUser and additionally can edit the data in certain tables - see overview below.

Summarized overview of the permissions of the groups

Role	Permissions in addition to lower role resp. user group	Included rights
DiversityWorkbenchAdministrator	Delete data, edit user permissions	DiversityWorkbenchEditor
DiversityWorkbenchEditor	Create new entries and delete details (not whole datasets)	DiversityWorkbenchUser
DiversityWorkbenchUser	See the data of the data tables, add annotations	


If you are a DiversityWorkbenchAdministrator you can add a user to one of these [Logins](#).

Any user may have access to several Projects.



Tool bar


The tool bar beneath the menu offers a number of buttons:





Pressing the  button will open the [database connection](#) form.

Pressing the  button will open the [query options dialog](#) to select the query conditions which should be displayed.

Pressing the  /  button will change the current language to the one symbolized as flag on the button. Currently German and English are supported.

Pressing the  button will let you create a new place entry for the database, using the [GIS editor](#). This button is only visible for database administrators!

Pressing the  button will delete the currently selected name entry from the database. This button is only visible for database administrators!

Pressing the  button will save the currently displayed geometry objects of the [GIS editor](#). This button is only visible for database administrators!


Data Import

There is a mechanism for importing data:

[Import wizard for tab separated lists](#): Import data from foreign sources and attach further data to data sets in the database.


Import wizard for tab separated lists

With this import method you can import data from text files (as tab-separated lists) into the database. Choose **Data -> Import -> Wizard** and then the type of data that should be imported, e.g. **Gazetteer data ...** from the menu. A window as shown below will open which will lead you through the import of the data. The window is separated in 3 areas. On the left side you see a list of possible data related import steps according to the type of data you choosed for the import. On the right side you see the list of currently selected import steps. In the middle part the details of the selected import steps are shown.



Selecting the File

As a first step, choose the **File** from where the data should be imported. The currently supported format is tab-separated text. Then select the **Encoding** of the file, e.g. Unicode. The **Start line** and **End line** will automatically be set according to your data. You may change these to restrict the data lines that should be imported. The not imported parts in the file are indicated as shown below with a **gray background**. If the **First line contains the column definition** is checked, this line will not be imported as well. If your data contains e.g. date information where notations differ between countries (e.g. 31.4.2013 - 4.31.2013), select an entry of the **Language / Country** drop-down list to ensure a correct interpretation of your data. Finally you can select a prepared **Schema** (see chapter Schema below) for the import.





Choosing the data ranges


In the selection list on the left side of the window all possible import steps for the data are listed according to the type of data you want to import.





Certain tables can be imported in parallel. To add parallels click on the **+** button. To remove parallels, use the **-** button. Only selected ranges will appear in the list of the steps on the right.




To import information of logging columns like who created and changed the data, click on the  button in the header line. This will include additional substeps for every step containing the logging columns. If you do not import these items, they will be automatically filled with default values like the current time and user.




Attaching data

You can either import your items as new data or attach them to data in the database. Select the import step  **Attachment** from the list. All tables that are selected and contain columns where data can be attached are listed. Either choose the first option  **Import as new data** or one of the columns which are displayed below (e.g. **PlaceID**).



If you select a column for attachment, this column will be marked with a blue background (see also chapter **Table data**).



Merging data

You may also merge your items with data which is already in the database. Select the import step **Merge** from the list. For every table you can choose between **Insert**, **Merge**, **Update** and **Attach**:

The **Insert** option will import the data from the file independent of existing data in the database.

The **Merge** option will compare the data from the file with those in the database according to the **Key columns**. If no matching data is found in the database, the data from the file will be imported, otherwise the data will be updated.


The **Update** option will compare the data from the file with those in the database according to the **Key columns**. Only matching data found in the database will be updated.

The **Attach** option will compare the data from the file with those in the database according to the **Key columns**. The found data will not be changed, but used as a reference data in depending tables.



Table data

To set the source for the columns in the file, click at a step on the right side of the window. All columns available for importing data will be listed in the central part of the window. In the example shown below, the first column is used to attach the new items to data in the database.





A reminder in the header line will show you what actions are still needed to import the data into the table:

- **Please select at least one column** = No column has been selected so far.
- **Please select at least one decisive column** = Whether data will be imported or not, depends on the content of decisive columns, so at least one must be selected.
- **Please select the position in the file** = The position in the file must be selected if the data for a column should be taken from the file.
- **Please select at least one column for comparison** = For all merge types other than insert at least one column must be selected for comparison with data in the database.
- **From file or For all** = For each column you have to decide whether the data should be taken from the file or whether one value is specified for all.
- **Please select a value from the list** = You have to select a value from the provided list.
- **Please enter a value** = You have to enter a value used for all datasets.


The handling of the columns is described in the chapter [columns](#).

Testing


To test if all requirements for the import are met use the  Testing step. You can use a certain line in the file for your test and then click on the **Test data in line** button. If there are still unmet requirements, they are listed in a window as shown below.



If all requirements are met, the testing function will try to write the data into the database and display any errors that occurred as shown below. All datasets marked with a **red** background produced some error.



To see the list of all errors, double click in the **error list window** in the header line.



If finally no errors are left, your data is ready for import. The colors in the table nodes in the tree indicate the handling of the datasets: **Insert**, **Merge**, **Update**, **No difference**, **Attach**, **No data**. The colors of the table columns indicate whether a column is **decisive**, a **key column** or an **attachment column**.

Import

With the last step you can start importing the data into the database. If you want to repeat the import with the same settings and data of the same structure, you can save a schema of the current settings (see below).

Schedule for import of tab-separated text files into DiversityGazetteer

Target within DiversityGazetteer: **GeoPlace**

Schedule version: 1 Database version: 01.00.18

Lines: 2 - 6 First line contains column definition:

Encoding: ANSI Language: US

Tables

GeoPlace (GeoPlace)
Merge handling: **Insert**

Column in table	?	Key	Copy	Pre	Post	File pos.	Transformations	Value	Source	Table
PlaceID		<input checked="" type="checkbox"/>				3			Database	
Geography	?			geography::STPointFromText (POINT(0	Replace With		File	
+						1	Replace With		File	
SuperiorPlaceID						4326)			NotDecided	
ExternalDatabaseID						3			File	
ExternalNameID						4			File	
PlaceType						2			File	
Notes								Note	Interface	

GeoName_1 (GeoName)
Parent: GeoPlace
Merge handling: **Insert**

Column in table	?	Key	Copy	Pre	Post	File pos.	Transformations	Value	Source	Table
NameID									Database	
Name	?	<input checked="" type="checkbox"/>				6			File	
PlaceID									Database	

GeoProject_1_1 (GeoProject)
Parent: GeoName_1
Merge handling: **Insert**

Column in table	?	Key	Copy	Pre	Post	File pos.	Transformations	Value	Source	Table
ProjectID	?	<input checked="" type="checkbox"/>				23			File	
NameID									Database	


Lines that could not be imported will be marked with a red background while imported lines are marked green:

	Place Geography	Place Geography	Place Place Type	Place ExternalDatabaseID	Place ExternalNameID	
▶ 1	Longitude:	Latitude:	PlaceType:	ExtDatabaseID:	ExtNameID:	Notes:
2	14	51,75	district (national)	1	7003720	
3	8,83333	53°05'	state	1	7003672	
4	11,4167	53,6667	district (national)	1	7004716	
5	7	51	state	1	7003677	
6	11,5	48,5	state	1	7003669	

If you want to save lines that produce errors during the import in a separate file, use the Save failed lines option. The protocol of the import will contain all settings according to the used schema and an overview containing the number of inserted, updated, unchanged and failed lines:

Line	Table	Error
Protocol Responsible: Reichert Date: Wednesday, January 07, 2015, 4:04:26 PM Server: snsb.diversityworkbench.de Database: DiversityGazetteer Lines total: 5 Lines imported: 4 Lines failed: 1		
3	Place (= GeoPlace)	incorrect syntax near ', 4326), 1, '. Unclosed quotation mark after the character string ') SET @i = (SELECT SCOPE_IDENTITY() AS [SCOPE_IDENTITY]) SELECT @i'.

Import wizard - Columns



If the content of a file should be imported into a certain column of a table, mark it with the checkbox.

Decisive columns ?

The import depends upon the data found in the file where certain columns can be chosen as decisive, that means only those lines will be imported where data is found in any of these columns. To mark a column as **decisive**, click on the ? icon at the beginning of the line.



In the example shown below, the file columns **Longitude**, **Latitude** (resp. PlotGeography_Cache) were marked as decisive. Therefore only the five **lines containing content** in this columns will be imported.

ID	Identifier	Longitude	Latitude
62	Waldauerbach	9.15833	49.5261
95	Aabauerschaft	7.61694	52.3667
128	Aach		
148	Aach-Linz	9.20472	47.9092
184	Aasen		
188	Abbehausen	8.44556	53.4819
200	Abbendorf	10.7008	52.8253

Key columns ?


For the options **Merge**, **Update** and **Attach** the import compares the data from the file with those already present in the database. This comparison is done via key columns.

To make a column a key column, click on the ? icon at the beginning of the line. You can define as many key columns as you need to ensure a valid comparison of the data.

Source

The data imported into the database can either be taken **From file** or the value, that you

enter into the window or select from a list, can be used **For all** datasets. If you choose the **From file** option, a window as shown below will pop up. Just click in the column where the data for the column should be taken from and click **OK** (see below).



If you choose the **For all** option, you can either enter text, select a value from a list or use a checkbox for YES or NO.



Transformation

The imported data may be transformed e.g. to adapt them to a format demanded from the database. For further details please see the chapter [Transformation](#).

Copy

If data in the source file is missing in subsequent lines, e.g.


ID	Identifier	Longitude	Latitude
62	Waldauerbach	9.15833	49.5261
95	Aabauerschaft		
128			
148	Aach-Linz	9.20472	47.9092
184	Aasen		
188	Abbehausen		
200	Abbendorf	10.7008	52.8253


you can use the  **Copy line** option to fill in missing data as shown below where the **blue values** are copied into empty fields during the import. Click on the  button to ensure that missing values are filled in from previous lines.

ID	Identifier	Longitude	Latitude
62	Waldauerbach	9.15833	49.5261
95	Aabauerschaft	9.15833	49.5261
128	Aabauerschaft	9.15833	49.5261
148	Aach-Linz	9.20472	47.9092
184	Aasen	9.20472	47.9092
188	Abbehausen	9.20472	47.9092
200	Abbendorf	10.7008	52.8253


Prefix and Postfix


In addition to the transformation of the values from the file, you may add a pre- and a postfix. These will be added after the transformation of the text. Double-click in the field to see or edit the content. The pre- and a postfix values will only be used, if the file contains data for the current position.

For the datatype geography the pre- and postfixes will be automatically set to enable the import. The preset values by default are set for points as geographical units. You may change this to predefined types like lines or areas. Click on the  button at the end of the line to open the information window. Here you can choose among the types mentioned above.




Column selection

If, for any reason, a column which should take its content from the imported file misses the position of the file or you want to change the position, click on the  button. In case a position is present, this button will show the number of the column. A window as shown below will pop up where you can select or change the position in the file.




Multi column +

The content of a column can be composed from the content of several columns in the file. To add additional file columns, click on the **+** button. A window as shown below will pop up, showing you the column selected so far, where the sequence is indicated in the header line. The first column is marked with a blue background while the added columns are marked with a green background.



To remove an added column, use the **-** button.




Information ?

The **?** button opens a window displaying the information about the column. For certain

datatypes additional options are included (see Pre- and Postfix).

Import wizard - transformation ✂


The data may be transformed during the import, e.g. to adapt it to a format demanded by the database. Click on the ✂ button to open the window below.










Here you can enter 4 types of transformations that should be applied to your data. ✂ cut out parts, 📄 translate contents from the file, **RegEx** apply regular expressions or 🔄 replace text in the data from the file. All transformations will be applied in the sequence they had been entered. Finally, if a prefix and/or a postfix are defined, these will be added after the transformation. To remove a transformation, select it and click on the ✖ button.


Cut ✂

With the ✂ cut transformation you can restrict the data taken from the file to a part of the text in the file. This is done by splitters and the position after splitting. In the example below, the month of a date should be extracted from the information. To achieve this, the splitter '.' is added and then the position is set to 2. You can change the direction of the sequence with the Seq button ➡ starting at the first position and ⬅ starting at the last position. Click on the button **Test the transformation** to see the result of your transformations.




Translate

The  translate transformation changes values from the file into values entered by the user. In the example above, the values of the month cut out from the date string should be translated from digits into names. To do this click on the  button to add a translation transformation. To list all different values present in the data, click on the  button. A list of entries will be created. You may as well use the  and  buttons to add values to or remove values from the list. Then enter the translations as shown below. Use the  save button to save entries and the **Test the transformation** button to see the result. Press the  button to clear the list.




Regular expression

The **RegEx** transformation using regular expressions will transform the values according to the entered **Regular expression** and **Replace by** values. For more details please see documentations about regular expressions.




Replacement

The replacement transformation changes any text in the data defined under **Replace** by a text entered by the user under **With**, e.g. to adapt it to a format demanded by the database.



Calculation Σ

The calculation transformation performs a calculation on numeric value, dependent on an optional condition. In the example below a calculation is applied to convert 2-digit values into 4-digit years.



Transformation for column InternalNotes for column Internal...

Add a transformation: RegEx Σ Prefix: Postfix:

1 Σ 2


Calculation: + 2000.


Opt. condition: .


Test the transformation


Source	Transformation
01.04.13	2013
04.04.14	2014
04.12.12	2012
10.10.13	2013
11.09.13	2013
18.02.14	2014
20.10.13	2013
22.06.13	2013



Tutorial - first steps

This tutorial will guide you through the first basic steps in DiversityGazetteers. After the [installation](#), make sure that you have [access](#) to the database. To start the program, double click on the  DiversityGazetteers.exe in the directory where you placed the files of DiversityGazetteers. The main window will open.




If you open this window for the first time, you have to connect to the database. A window will open automatically where you can enter your account information and choose the database (see image below, for further informations see [database access](#)). If not, click on the  button or choose **Connection -> Database...** from the menu to open the Connection window.



After having connected to the server and having chosen a database click on the **OK** button to return to the main window. As indicated by the  symbol in the tool bar, you are now connected to the database. The tooltip of the  button will show your current login informations.

Tutorial - query

To search for data in the database, use the query section in the left part of the window. To select the query conditions, click on the button in the top panel. A window as shown below will open.




With the **Maximal number of results** you can limit the packet size that should be retrieved from the server. For a slow connection to the database server choose a low value (e.g. 100 as set by default).

Select the desired entries of

- Name
- Longitude / Latitude / Distance (km)
- Place type
- Project
- Language
- Place ID
- Name ID

Click OK to close the window. According to the example above your query conditions will look like this:



Operators: Press the button to open the operator dropdown list and choose an appropriate operator for your query:

- "~": Like - The search string is part of the item.
- "=": Equal - The search string matches the item exactly.
- "<": Less than - All results less than the search string.
- ">": Greater than - All results greater than the search string.

Name: Enter the name of the place you are searching for in the adjacent text box. The results are depending on the operator.

Longitude: Enter the longitude for the desired places. Only numerical input allowed.

Latitude: Enter the latitude for the desired places. Only numerical input allowed.

Distance: Enter the distance regarding longitude and latitude. Depending on the operator all items will be displayed which are inside or outside the distance. Only numerical input allowed.


Place type: Choose from a list of possible entries. Select the type of place you are looking for. "---" means all kind of types.

Language: Choose from a list of possible entries. Select the language which is assigned to the place. If there are no results, set the language to "---" (all languages or no language assigned).


Project: Choose from a list of possible entries. Select your current project. "---" means all projects.


Place ID: Enter the place ID for the desired places. Only integer numbers allowed.

Name ID: Enter the name ID for the desired places. Only integer numbers allowed.

After all query conditions are set, click on the  button to start the query. In the [result list](#) all places will be displayed which matches your query and the selected maximal number of results.


Tutorial - query results


Pressing the  button will display all places in the list box which matches the query conditions and the selected maximal number of results:





The entries consist of name ID, name, place type and coordinates (if any). If no coordinates are available, the entry is shown in gray. In case the entry describes a complex geography (e.g. a country polygon, a river line string etc.), the coordinates represent the "envelope center" of the shape.



The indices of the currently displayed database entries are shown in the header of the list box, as well as the total number of entries. The first line in the list box also contains the indices and may be used to display all entries in total.


Pressing the  button will display the next set of entries (according to maximal number of results). The indices will change accordingly.

Pressing the  button will display the previous set of entries (according to maximal number of results). The indices will change accordingly.

Pressing the  button will add the next set of entries (according to maximal number of results) to the ones already displayed in the list. The indices will change accordingly.


Pressing the  button will clear the list box and the query conditions.

The  button is designed as a toggle button, which has 2 states. Pressing the button will switch the [GIS Editor](#) display mode between "View" and "Edit". If the mode is set to "Edit", the button will appear as  and the map window will be extended by its control panel.




Tutorial - show places


The results list box displays the current set of places found by the database query. To show a certain place on the map, just double click at the entry. Due to the coordinates of the place the map will be adjusted to this area and build up. Depending on the internet connection and the map server this can take some seconds. A message box will pop up to advice the user to wait, until the map is complete:




When all tiles of the background map are drawn, press OK to continue. Then the online map will be scanned and the place will be shown on the map. If the coordinates are single positions, markers will be set. If the coordinates describe areas or line strings, the appropriate geometrical objects are drawn. The information area above the map lists the details of the place (name ID, name, place ID, place type, coordinates as well as more names and hierarchy, if available).



A double click at the first line shows all places currently listed in the results box. The information area will not show specific details, but moving the mouse over a place on the map displays the details in a tool tip.





If a place hierarchy has been defined, it is shown in the hierarchy list box. Due to historical reasons there might also be a hierarchy text entry for the place, which is displayed beneath the hierarchy, if it is available. Below the place names are displayed, which are one level under the current place in the hierarchy tree, if there are any. By clicking on an entry of the upper or lower hierarchy list the current place can be switched to that one. If you have administrator permissions, the hierarchy and the hierarchy text entry can be modified.



Since version 1.4.2.0 multiple languages and place types are supported for a place name. If there is more than one language or place types entry assigned, the additional ones are

displayed beneath the preferred entry.















Press the  button to display all parameters for a place name stored in the database at a glance in a separate window.



Show Name Parameters	
NameID	181611
Name	Samoa
LanguageCodes	Samoan, English, French, Spanish
ExternalDatabaseID	1
ExternalNameID	181611
LogInsertedBy	dbo
LogInsertedWhen	12/16/2015 1:40:00 PM
LogUpdatedBy	dbo
LogUpdatedWhen	12/16/2015 1:40:00 PM
HierarchyCache	
HierarchyList	
Notes	
PlaceID	1000239
PreferredNameID	181611
Geography	POINT (-172.3333 -13.5833)
PlaceTypes	nation, constitutional monarchy, independent sovereign nation, mandate, primary political un
SuperiorPlaceID	1000006
CountryPlaceID_Cache	
RegionPlaceID_Cache	
ExternalDatabaseID	1
ExternalNameID	1000239
LogInsertedBy	dbo
LogInsertedWhen	12/16/2015 1:28:00 PM
LogUpdatedBy	dbo
LogUpdatedWhen	12/16/2015 1:28:00 PM
Notes	Comprises western Samoa Islands; area was settled by Polynesians (probably from Tonga) of lapita tradition by 1000 BCE; large societies developed by 300 BCE; controlled by Germany, Britain, and the United States in the late 19th century; controlled by New Zealand after WW I; official languages are Samoan (a Polynesian dialect) and English.

Close


Tutorial - edit places

If the user has administrator rights for the dataset, the ,  and  items are displayed in the toolbar. Additionally the ,  and  buttons will appear in the info area.

The user then may edit the name of the place using the text box. The  item turns to red  to notify the user that the changes need to be saved by pressing this item before going to another place. The assigned geographical objects may also be edited or changed using the Edit mode of the [GIS Editor](#) and saved by pressing the  item. To add a new place to the gazetteer, create a geo object within the [GIS Editor](#), enter a description and subsequently press the  item to put it into the database. The user may delete a name entry by pressing the  item. To add a new name for the current place just type it into the Name text box and press the  button aside. This button is only enabled, if the name has been edited.

To create or change the places hierarchy select an entry and switch ON the  toggle button. Search and select an entry using the query results list box to assign it as the parent place for the one which is displayed in the info area. The tool tip of the list box will change accordingly. As soon it has been assigned the toggle button will switch OFF again. If no entry should be assigned the button may be released by pressing it again. If the place is part of the hierarchy the  button is enabled and may be pressed to remove the assignment of the parent for the current place. This will cut off the upper part of the place's hierarchy tree.



Appropriate message boxes will pop up for changing or editing the name and hierarchy of a place to prevent changes by mistake. If there are multiple places selected, these buttons will not be functional.




If there are more than one name entries for the current place, all names are shown in a list


box right of the selected name. The user may switch to another name of the list by double clicking it. One of the name entries may be assigned as the preferred name for the current place. This can be done by left clicking it. A message box will be shown to ensure that the assignment should be made. The preferred name then will appear in red color in the list.


At the right side of the information area there are 2 list boxes. The first shows the projects which are assigned to the current name, the second shows the other projects which are not assigned. The administrator may assign or remove projects to the name by selecting a project and clicking on an appropriate arrow button to shift it to the opposite box. Alternatively he may easily shift the project by double clicking on it.

If the assignment of the projects has been changed, the  button turns to red  to notify the user that the changes need to be saved before going to another place. Otherwise the changes will be lost.




Tutorial - add places


If the user has administrator rights for the database, the  symbol is shown in the tool bar. Then the user may add new place entries to the database using the [GIS Editor](#). A background map and geographical objects may be created or imported, e.g. from ArcView shape files. These shapes are often very big and do not match the restrictions of MS SQL Geography Objects as used in the database, so there are several save options, which can help to avoid problems for the import:




One major restriction of MS SQL Geography Objects is, that polygon lines must not overlap. This is frequently the case on multiple polygons within one geographical object, e.g. the outlines of neighbouring countries. To avoid this, multiple polygons may be split up to single polygons, which can be saved either as separate place entries (with the drawback that the collection will be disbanded) or as one geographical collection (which keeps the togetherness of the elements).

Big ArcView shapes often contain millions of coordinates, which may cause out of memory errors when they are converted to a geographical data object. This can be avoided by successively saving the samples of the GIS editor to the database. Precondition for that is, that a big shape file is split into single geographical objects (samples) already when reading it by the GIS Editor. To do this the appropriate check box of the [GIS Editor Settings](#) has to be checked:



If you create a new place using the GIS Editor, be sure to enter a description in the "Text" field before you add it to the sample list. Clicking the  symbol of the tool bar will save the samples of the GIS Editor according to the save options and will use the sample descriptions as the place names. If the samples are split into multiple entries, an index is appended to the name.



GIS Editor

Introduction


The Diversity GIS Editor is a tool to create, visualize, edit and archive samples within a geographical environment. It may be used as a stand-alone application or as a component of the Diversity Workbench by other applications, e.g. DiversityCollection or DiversitySamplingPlots.

In combination with a background map, equipped with world coordinates, collections of Microsoft SQL Geometry Objects (points, lines and areas) may be displayed and edited in their geographical context. The screen and world coordinates of the objects will be calculated and shown in the status line. Color, thickness and transparency of the elements can be adjusted. The working area which keeps the maps and objects may be shifted or zoomed.

The background map could either be loaded from a storage device or created with an online map server tool provided by the editor. Other maps without world coordinates may be adjusted to the background map easily by setting 3 pairs of reference points on the background and the new map. The calculated world coordinates will be assigned and stored when the new map is saved.

A GPS functionality has been integrated. If a GPS device is connected, the current position will be displayed and - if an applicable background map is loaded - marked on the map.

The data transfer between application and GIS editor is made by interface function calls. In that way geometry objects of a Diversity database may be loaded to the editor, modified or extended and sent back to the application, which then updates the data base.




Chapter 1: GIS Editor Layout














The layout of the Diversity GIS Editor could be divided into 3 regions:

- Control Panel
- Sample List
- Working Area


Control Panel



The Control Panel consists of the following elements:

- 8 buttons to load , save , delete , print  or add  samples, switch GPS , detect samples  and to open  the Settings window
- 2 text boxes for sample Identifier (ID) and Description (Text)
- 7 radio buttons to select the operation mode (Map, Shift, Adapt, Edit, Point, Line, Area)
- 1 button  to switch to a new object, if the current sample is composed of multiple lines or areas
- 4 controls to adjust color and transparency of the samples (for stroke and fill) or to zoom the working area
- Status lines with screen and world coordinates (if any) and an appropriate symbol , ,  or 
- A hint about the user interaction, which is possible or expected

Sample List



The Sample List is the container for added maps or objects. Each entry is composed of the following elements:

- Identifier of the sample
- Delete button to remove the sample
- Toggle button to hide or show the sample

The toggle button is illustrated with a small picture of the associated sample. Switching these controls using the left mouse button will hide or show the corresponding sample. Using the right mouse button will effect all samples except the corresponding one and the background map:

- When right clicking on an active toggle button, all other samples will be switched off.
- When right clicking on an inactive toggle button, all other samples will be switched on.

If the number of samples in the list do not fit into the window area, a scroll bar will be displayed.

Working Area

This is the drawing space containing loaded maps and objects. In Shift mode the area could be moved or zoomed.


Chapter 2: GIS Editor Usage



The GIS Editor has 7 operation modes which are described in the following chapters:

- Map: Create an online map from the map server
- Shift: Move the working area with the mouse or zoom it with the slider
- Adapt: Calculate world coordinates for a new image using reference points of the background map
- Edit: Modify the current object and all visible samples of the Sample List
- Point: Create a number of object markers on the background map
- Line: Create a line string or a collection of line strings on the background map
- Area: Create an area or a collection of areas on the background map

When starting the GIS Editor as a stand-alone application the start-up operating mode usually is the Map mode. This is to remind the user that a background map with world coordinates is necessary to work with geographic objects.



Chapter 2.1: Map Mode




In Map mode the editor connects via Internet to the SNSB Google Maps service or alternatively to the Open Street Maps service, regarding on the [GIS-Editor Settings](#), and displays an online map which can be moved, zoomed and switched as usual. The status area shows the  or respectively the  symbol. The size of the map area adapts to the size of the working area, even when resizing the window.

In case of Google the controls for moving, zooming and map type are displayed by default. The overview window in the bottom right corner can be switched manually. The map can be adjusted to the user's needs as follows:


- Select map area: Press and hold left mouse button and move the mouse
- Zoom map: Turn the mouse wheel (if any), double click (left or right mouse button) on a location
- Switch map type: Use Google map type control
- Hide Google controls: Click right mouse button to hide, left mouse button to show them again

In case of Open Street Maps the pan and zoom control is displayed by default. It can be switched off or on by clicking the left mouse button anywhere within the map area. The layer switch control is hidden and can be opened by pressing the  or closed again by pressing the  button on the right side. The map can be adjusted to the user's needs as follows:

- Select map area: Press and hold left mouse button and move the mouse, or use the OSM pan control
- Zoom map: Turn the mouse wheel (if any), double click (left mouse button) on a location or use the OSM zoom control
- Switch map type: Open the layer switch and select a layer
- Hide or show pan and zoom control: Click left mouse button to toggle the control





If an appropriate area has been selected, just press the Add button **+**, then the area will be scanned and added to the Sample List as a reference map. A little image of the map will appear on the toggle button in the Sample List. The controls should be switched off before adding to get a neat map image.

Then the mode will be switched to Shift mode automatically and the status symbol will change to  indicating that world coordinates are present. The screen and world coordinates will be shown in the status lines if the mouse is moved over the map surface.

The maps are subject to the Mercator projection, which is the GIS Editor's precondition for every bitmap used as a reference map. While the screen coordinates are linear in horizontal and vertical direction, the world coordinates are non linear in vertical direction.

Chapter 2.2: Shift Mode



This is the quasi default mode of the GIS Editor. The cursor changes to a move shape  when touching the background map. The map is "frozen" and exists as an image sample on the sample list. Changing the map region or resolution is no longer possible. But the Shift Mode provides 2 features:

- Move the working area
- Zoom the working area

Moving the working area

Press and hold the left mouse button and move the mouse to shift the working area within the display window. This is useful when having loaded a map from a storage unit which is larger than the GIS Editor's window, or in combination with zooming the working area.

Zooming the working area


Place the mouse cursor at the slider control, press and hold the left mouse button and move the control left to zoom out or right to zoom in the working area. The range of the zoom is from factor 0.6 to 3.0. The current value is displayed beneath the zoom control. Double click the slider control to reset the zoom to default value 1.0.

Enlarging the working area makes it more easy to place objects precisely. The relevant area then could be selected by moving the zoomed working area. Downsizing the working area gives an overview of large map regions.


Note that the resolution of the map itself does not change any more when zooming in. But objects on the map are created in vector graphics, so the markers, lines or areas will remain sharp and clear while zooming. And they will adapt there thickness smoothly to the size.

Chapter 2.3: Area Mode

This mode is used to create areas (polygons) on the background map. The cursor changes to a cross line when touching the background map. Each click on the left mouse button sets a new point of the polygon. Every click on the right mouse button clears the last point set. The closed polygon defined by the points is displayed completely at any time. When holding the left mouse button the point can be placed while the lines of the polygon are shown as a "rubber band" display.



To create more than one area for a sample, just click the `next >` button. This will finish the current polygon and start another one. It could be repeated without limitation of the number of polygons.



Setting the color

The areas are created as filled polygons, this means they have a border line (stroke) and a filling. The color of stroke and filling can be set independently or simultaneously by clicking the appropriate check boxes beneath the Color list box. Clicking on the list box will open a drop down menu with the complete set of 141 predefined brushes. Use the scroll bar to navigate to the preferred color and select it with the left mouse button.

Setting the transparency


Besides the color the transparency of the area could also be set for stroke and filling. In each edit mode the slider control is used for that. The area stroke or filling changes smoothly from invisible at the left till completely opaque on the right slider position. The value beneath the slider control indicates the opaqueness in a range from 0% to 100%. The default settings are 100% for stroke and 25% for filling.

Before adding the polygon to the Sample List an Identifier (ID) and a Description (Text) should be written to the text boxes in the control panel.

Clicking the Add button **+** will put the current area(s) as one sample into the Sample List. The toggle button will show a small picture of the first area of the sample. The ID will be displayed above the button. Furthermore a tool tip will be created for the sample holding the ID and Description, which will pop up when moving the mouse over the toggle button or over the polygon in the working area.

Chapter 2.4: Line Mode


This mode is used to create line strings on the background map. The usage is adequate to the [Area Mode](#). The cursor changes to a cross line when touching the background map. The points of the line strings can be set or cleared by clicking the mouse buttons. Clicking the button will switch to the next line string for the sample. The distance of the last drawn line string section is displayed beneath the status area.





























Color and transparency can be set for the line strings using the appropriate controls, but only for stroke, because the line strings do not have a filling. Thus checking the Fill box will have no effect. After adding the lines to the sample list a small picture of the first line string will appear on the toggle button.

Chapter 2.5: Point Mode

This mode is used to create Points (object markers) on the background map. The usage is similar to the [Area Mode](#). The cursor changes to a cross line when touching the background map. The object markers can be set by clicking the left mouse button, clicking the right mouse button will clear the last markers one by one again. The [next >](#) button has no impact, because each Point represents a complete object and needs not to be finished before creating the next one.



The shape of the object markers can be selected from a number of predefined Point symbols and icons within the [Settings window](#), e.g.:

Pin: 	Diamond: 	Assel: 	Fish: 	Mollusc: 	Needle: 
Cross: 	Pyramid: 	Bird: 	Fungus: 	Myxomycete: 	
X: 	Cone: 	Bryophyte: 	Insect: 	Plant: 	
Circle: 	Minus: 	Echinoderm: 	Lichen: 	Reptile: 	
Square: 	Question mark: 	Invertebrate: 	Mammal: 	Vertebrate: 	


Color can be set for the symbol markers using the appropriate controls. It depends on the selected point symbol, whether it just has a stroke (e.g. "Cross") or also a filling (e.g. "Pin"). Transparency can be set for both, the symbol and icon markers. The stroke thickness and the size of the markers can be set in the [Settings menu](#). After adding the object markers to the

sample list a small picture of the collection will appear on the toggle button.

Chapter 2.6: Edit Mode

This mode is used to modify all samples (objects and images) which are currently **visible** on the working area. It applies to the elements of the Sample List as well as to the current sample.

Changing the position or shape of objects (points, line strings, areas)

To change an object one has to move the vertices ("corner points") which are defining it. To do so just move the mouse close to a vertex to localize it. As soon as the corner has been grabbed the cursor changes its shape to a hand symbol .

Now press the left mouse button and hold it, then move the mouse to change the position of the vertex accordingly. The shape of the object or the marker will change in the same manner. Release the mouse button when the preferred position has been set.


Note that areas and line strings cannot be moved in total while keeping their shapes!

Changing the position or shape of images (maps)

Images (e.g. maps) can be moved completely (keeping their aspect ratio), scaled in horizontal and vertical direction and skewed within an affine transformation. Editing an image can be divided into 4 stages by grabbing and moving the following corners:

1. Top-left: Moving the total image by keeping its aspect ratio
2. Bottom-right: Squeezing or stretching the image horizontally and vertically
3. Bottom-left, top-right: Skewing the image in an affine way by keeping the corner points top-left and bottom-right at its positions
4. Bottom-right again: Skewing the image in an affine way by keeping the corner points top-left and bottom-left at its positions

Stages 1 to 4:











Changing color and transparency

Color and transparency can be set independently (or simultaneously) for the objects using the appropriate controls and check boxes for Stroke or Fill. The setting will affect all visible objects, so objects which should not be changed have to be switched off before with their toggle buttons. The color of images could not be changed, of course, but the transparency can be set if the Fill box is checked. The transparency of the background map cannot be changed.


Chapter 2.7: Adapt Mode

Essential for visualizing Geographical Objects is a background map with world coordinates. The GIS Editor's Map mode offers a convenient way to create such a map, but it is restricted for the use of Google or OSM maps which are present in the web and are providing world coordinates. It would be nice to load scans of e.g. topographical or even historical maps into the working area and use them as background maps, but the problem is how to assign world coordinates to them.


The Adapt mode solves this in an easy way by executing the following steps. As a precondition a background map having world coordinates (e.g. a Google map) must be present which covers the area of interest of the new map to be referenced.


1. Load the new map image using the Load button . The image will be placed top left inside the working area.
2. Select Adapt mode by checking the Adapt radio button. The cursor changes to a pointer symbol  having a green border when touching the new image and having a red one when touching the background map.
3. Now 3 reference points must be set alternately on background and new map to assign the appropriate locations (e.g. distinctive landmarks like road crossings). The last point can be modified as long as the map is not changed. The cursor always tells you what reference point will be set, according to its color and the number of dots in the middle:      



Note: It is reasonable to select distant points close to the edges of the new map, because this will give more accurate results.



4. When all reference points have been set and the cursor touches the alternate map, it


changes to the finished shape . The next click will place the new map into the appropriate background map area.



The adapted image has been transformed to fit into the current world coordinates of the background map. Now the new map can be added to the sample list by pressing the Add button . When it is finally saved to disk by pressing the Save button , the new assigned world coordinates will be saved, too, in an XML file with the same name (see [Save Samples](#)).

Sometimes it is difficult to place the new map and the reference map side by side, because the window is too small, and zooming out would blur the details needed for setting the reference points. If the new map covers the background map, the reference points can be set anyway


- for the new map by making it opaque with the transparency slider
- for the background map by making the new map transparent (less than 10% opacity) with the slider



Note: The Fill box must be checked to change the transparency of the new map. The background map's transparency cannot be changed.


Chapter 2.8: Load Samples

A background map is required before objects (areas, line strings, points) can be loaded. If no background map is available, the GIS Editor will extract the appropriate area from the sample file data and automatically adjust the map viewer to cover the region. The user is prompted to wait until the map has been established completely and then press . If no map is displayed (e.g. because there is no internet connection), the user may press and load a local map instead, or to cancel the loading of the shapes.




When loading a shape file, the objects will be displayed at the background map according to their coordinates and added to the Sample List automatically. The GIS Editor is able to read MS-SQL Geo Object files (.shp1), TAB separated text files (.shp2), GPS Exchange Format files (.gpx) as well as ArcView Shape Files (.shp).

The assumption of the type of input file is made according to the extension of the file, so e.g. a TAB separated input file of an external source might have to be renamed to .shp2 before it is loaded by the GIS Editor. The input parameters of the first text line are determined, a dialog window will open and show them on the left.



Then you have to assign certain input values to the GIS Editor attributes, which are displayed in the middle of the window. Select an input parameter using the radio button on the left, then assign it to one or more sample attributes by clicking the appropriate checkbox in the middle. The assigned values are shown on the right side of the window. Values in gray are

default parameters, which are used if the attribute has not been assigned. There is just one mandatory attribute which has to be set, the Geography Data (SQL Geo Object). If there is no SQL Geo Object available in the input file, a point object will be created automatically when assigning longitude and latitude parameters.



To assign up to 10 input parameters simultaneously to the adjacent 10 sample attributes, just click on the **All** button. This is helpful if the input file has been created with the GIS Editor itself, so the input values are already in the right order.


To remove all assigned values, click on the **None** button.

If the assignment is done, click on the **OK** button to show all geographic objects of the input file according to the assigned parameters. Each object will be added to the list as a separate sample. To put all objects together as one single sample, check the "Save as one object" box.


Click on the **Cancel** button to cancel the load operation.


The last assignment is saved by the GIS Editor and can be used for the next input file, if it has the same structure as the previous one. Just click on the **Last** button to assign the same input parameters as before.


The GIS Editor supports ArcView Shape Files (.shp) using geographical, UTM or Gauß-Krüger coordinates. The type of the coordinates (Geographic/Gauß-Krüger or UTM) has to be selected first in the [GIS-Editor Settings](#), in case of UTM also the zone and the hemisphere. If an ArcView attribute file (.dbf) is available, a window will open and show the attributes of the first shape. The user may select the attributes which should be used to create the sample ID and description. Check one or more appropriate boxes and assign them by clicking the "ID" or "Text" button. A separator string may be defined to combine the selected attributes to the final text string. If no attribute is selected, the name of the ArcView file is assigned to the sample description.




To access the dBase attributes file for reading or writing, the Microsoft ACE OLEDB 12.0 driver must be installed on the computer. If it is missing, the attributes cannot be evaluated and a warning will be displayed. The shapes will be loaded properly, anyway, but no description will be added.





When loading an image without world coordinates, it will be displayed top left in the working area. If no background map is loaded yet, the Screen symbol  is shown in the status line, followed by the screen coordinates of the current cursor position.


When loading an image with world coordinates and no background reference map exists, it will be displayed top left in the working area. The World symbol  is shown in the status line, followed by the screen coordinates and the world coordinates of the current cursor position.

When loading an image with world coordinates having an existing reference map, it will be embedded in the background map according to its coordinates. If the new image does not overlap with the reference map, the image exists virtually in the coordinate system, but possibly could not be seen because it is too far away from the reference map.

Loaded images with world coordinates are immediately added to the Sample List. When loading an image without world coordinates it is displayed, but not yet added to the Sample List. The user has to add it manually by pressing the Add button . This is because the user should have the opportunity to adapt the image to the background map to be stored later on with applicable coordinates.

Chapter 2.9: Save Samples

To save a background map which is currently displayed in Map mode just press the Save button  instead of the Add button . A save file dialog will pop up to name the file, the map and its coordinates will be saved and added to the sample list.

A background map is required before objects and images can be saved. Saving samples means saving their type, attributes and world coordinates in files. When pressing the Save button , it applies to all visible samples on the working area, except the background map. A current sample will be added to the sample list before it is saved.


If objects are visible, a save file dialog will open and a name for the target file(s) must be set. Objects (areas, line strings, points) will be saved in respect to the selected formats of the [GIS-Editor Settings](#):

- If MS-SQL is enabled, all visible objects will be collected and stored in one GIS Editor shape file in text format (extension .shp1). The file contains the objects' attributes and MS-SQL Geo Object definition strings. If altitude calculation is enabled in the [GIS-Editor Settings](#), these values are stored, too.
- If ArcView is enabled, for each object 3 ArcView compatible shape definition files in binary format will be created: A shape file, an index file and a dBase file holding the description (extensions .shp, .shx, .dbf).


If images are in the Sample List, they are already present on disk and will not be saved twice. Instead for each image an XML file will be created with the calculated world coordinates of the image and will be stored under the same location and name as the image. This does not apply to the current background map.


If Save Working Area is enabled in the [GIS-Editor Settings](#), a scan of the complete working area including its objects is made and stored in an image file, which name has been set in the save file dialog.


To save only a part of the working area the Frame box must be checked in the [GIS-Editor Settings](#), too. Then a rectangular frame of the given dimensions is displayed, which defines the part of the working area that will be saved. It can be dragged to the right position using the left mouse button (click, hold and shift), and it can be resized by grabbing and moving the corners of the frame.




Chapter 2.10: Delete Samples

To delete a single object of the Sample List just press the small Delete button  left of the Toggle button. The sample will be removed from the list and the working area, the other sample entries will be rearranged.


Pressing the large Delete button  in the Control Panel will remove all samples of the Sample List, except the reference map. A warning is shown before:







Chapter 2.11: Print Samples


Pressing the Print button  in the Control Panel will open a print dialog to select a printer and adjust the settings. Then it will print the complete working area including all visible objects. This feature is useful e.g. for documentations.

Chapter 2.12: GPS Tracking


When pressing the GPS button  in the Control Panel the hardware will be scanned for a GPS device. All available serial ports are opened and checked if they are delivering valid GPS data. This takes 2 seconds. Be sure that the correct baudrate for the GPS device has been set in the [Settings menu](#) (standard rate: 9600).


If no device is detected the button will be released. If a device has been found the button changes the color according to the numbers of satellites which have been fixed by the device: Red  up to 3 satellites, yellow  up to 5 and green  if 6 satellites or more are available. The number of satellites, longitude, latitude and altitude delivered from the GPS device are displayed in the info line of the Control Panel beneath the status.

The current position will be shown by a GPS marker  if an appropriate background map has been loaded. If GPS Track in the [Settings window](#) is checked, the movement of the position will be drawn as a line string on the background map. The color and stroke thickness are similar to the last adjustment for lines. When switching off the GPS button again, the track will be added to the sample list automatically and could be saved for future documentation purposes.



Chapter 2.13: Settings

Pressing the Settings button  in the Control Panel will open a dialog to adjust these GIS Editor settings which are not frequently changed:



Setting the file formats for reading ArcView shape files

[ArcView](#) is a common Desktop GIS tool and stores its data in binary files. The GIS Editor is able to read these files and display the included geography objects. But because ArcView does not necessarily provide a dedicated information about the GIS format of the contained data, the user has to know and select it in advance.

The GIS Editor currently supports WGS84 geographic coordinates, Gauß-Krüger coordinates (Potsdam datum) and WGS84 UTM coordinates. If "Geographic / GK" is selected, the program will choose the right format by checking the binary values. In case of UTM the user must select the hemisphere (N/S) and the UTM zone (1-60) to ensure that the objects will be displayed at the correct location.

The ArcView data files may contain complex geographic shapes (e.g. polygons or line strings) which are combined by the GIS editor to one multi object (e.g. multipolygon) by default. To split up the shapes into single objects the option "Split shapes into single samples" has to be selected. Then they are placed into the sample list separately. This could be helpful to avoid out-of-memory errors if very large shapes should be converted to SQL geography strings.

Setting the file formats for saving objects

At the moment 3 formats for object files are supported:


- MS-SQL Geo Objects (.shp1)
- TAB separated text files (.shp2)
- ArcView shape files (.shp, .shx, .dbf)

[Microsoft SQL Geo Objects](#) are part of a standard for storing geometry and geography data in an SQL database, as used by the DiversityWorkbench modules. They are a well defined text string containing the geometrical type (e.g. Polygon, Line, Point) and the geographical coordinates (longitude, latitude, optional altitude) of an object. Together with the GIS Editor attributes (e.g. color, transparency) they are stored in a proprietary GIS Editor shape file in ASCII text format. This file can easily be read and changed using a text editor.


TAB separated text files are widely used as an interchange data file format. The content of a file is more or less the same as above, but the parameters of each object are placed in a single text line, separated by tabulator characters. Additionally to the SQL Geo Object the "envelope center point" (longitude and latitude) of it is saved separately in the file.

The GIS Editor can also create ArcView compatible files to store the samples, which then may be read from ArcView GIS tools. 3 files are required for each type of shape: A data file with extension ".shp", an index file with extension ".shx" and a description file in dBase format with extension ".dbf".

The advantage of the first format is the transparency and readability of the data file, which is just one single text file. But storing huge samples is time consuming, because they have to be converted to SQL geography strings. If the samples consist of more than 100,000 points, an warning message is shown and the user may decide whether to continue or not:




While saving the shapes, a progress bar will be displayed to indicate the status of the task:



Using the ArcView format makes the data files compatible with many applications. Huge samples can be stored much faster. But each type of sample requires a separate set of output files, because different types of objects within one file are not supported so far. So a sample list containing 10 objects will produce 30 data files (file name with an appended index, which is incremented for each sample). Furthermore the attributes like color, transparency and stroke thickness will not be saved.

Currently there is just one format supported for storing image coordinates. They are written into an XML file which is also used in DiversityMobile modules. Saving the coordinates in this format is required for the GIS Editor, so it cannot be disabled.

Saving the working area

Selecting this check box and later on pressing the Save button  will additionally scan the working area including all visible objects and save it as an image file under the name provided in the save file dialog, see [Save Samples](#). This is useful for documentations.

Note: There are copyright restrictions on maps or aerial images which are created with the Google maps viewer. Please contact Google before using them for publications to grant a license, or use Open Street Maps captures, which could be used freely under the [Creative Commons Attribution Share Alike license](#) conditions.

When checking the "Frame" box just a rectangular part of the working area is saved. The size (in pixels) of the frame has to be defined in the adjacent "Width" and "Height" fields. This is convenient if the resulting image should have well defined dimensions, e.g. fit the resolution of a smartphone display. After closing the Settings window a rectangular frame of these dimensions is displayed on the working area which defines the part to be saved. The frame is only visible in Shift Mode. It can also be adjusted using the mouse: Place the cursor within the frame, press the left mouse button und hold it, then shift the frame by moving the mouse. Or change the size of the frame by grabbing a corner: When the cursor changes, press the left mouse button und hold it, then adjust the size by moving the mouse.

GPS Track

When checking this box the movement of the GPS marker on the background map will be tracked by a line string. After switching off the GPS button the line string will be added to the sample list automatically.

Altitude for geo objects

This box applies to MS-SQL Geo Objects only. If checked, the appropriate altitude of the object points (longitude, latitude) will be stored in the file, too. This is not recommended for sample objects with a lot of points or vertices, because for every point the Geonames server has to be contacted to request the associated altitude value. This could slow down the saving procedure immensely.

Setting the stroke thickness

The stroke thickness for area, line strings and point symbols can be set by using the appropriate slider. The value of the thickness is shown in the label box left of the slider. Double clicking the slider will reset the thickness to its default value 1.

Setting the Point symbol

The symbol for the points can be selected from the drop down menu. The symbol size can be set using the slider below the menu. The point symbol display will change accordingly.

Setting the opacity of switched off objects

The samples on the working area may be switched off and on with the mouse buttons. If the switched off objects would become invisible, it will be difficult to switch them on again, because you don't see them. For this the opacity of the switched off samples can be adjusted between 0% (invisible) and 100% (fully visible) with the slider. E.g. a value of 25% will make the samples transparent, but one can still see and touch them on the map.

Setting the GPS baudrate


It is essential to set a suitable baudrate for a connected GPS device according to its specification. The rate can be selected from the list of the drop down menu. If no GPS device is available, Demo mode could be chosen to see the behaviour of the functionality.

Setting the Map Mode viewer

The radio buttons offer the choice of the viewer for creating a background map. Currently Google Maps and Open Street Maps are provided.

GIS Editor Info

Clicking the Info button will display a window containing GIS Editor version and license information.





Saving the settings


Finally pressing the OK Button will save the settings, pressing the Cancel button will discard them.

Chapter 2.14: Sample Detection

Since GIS Editor version 2.2.3.0 the Sample Detection offers a new convenient tool to digitize sample markers e. g. of a scanned and georeferenced analog paper sheet.



The tool will try to detect "points" on an image according to the detection parameters which can be adjusted in the Sample Detection Parameters window, which will open when clicking the  button.




The decision what belongs to a sample and what is just background on the loaded image is made by defining a color range of the object to be found. Looking at the example picture above, we can see that the collector has marked samples using a "black" pen on a reddish scale paper. The points appear as dark grey scatterplots. To detect these points we must define the color range of interest from "mid grey" to "black".

The grey range can be easily set by moving the "Grey" sliders for minimum and maximum values. The sliders for the 3 color channels will move simultaneously, adjusting the channel values in parallel. In the example above we found a range from 0 (black) to 150 (mid grey) which covers the colors of the samples and excludes the background colors. It is visualized in the color boxes for min and max values and as a linear gradient color brush.

If we'd look with a magnifying glass on a single point, we would discover that in fact it is an array of pixels (picture elements) in various shades of grey. To reduce this "cloud" to a single point coordinate the program uses several algorithms. The result can be improved by setting the parameter for the minimum point distance in pixels to an appropriate value (e. g. 4).

The resulting sample points would be displayed as a point collection to be (potentially) edited and added as one sample to the GIS Editor sample list. In contrast, clicking the check box beneath will split up the found sample points into single samples and add them immediately to the sample list including an enumeration. The sample names will then be composed by Identifier and Enumeration (start value, will be incremented) as defined in the text boxes under it. Pressing the OK button will start the detection and deliver the detected points as object markers.



Not only grey points may be detected, but markers of any color tone. The ranges for the red, green and blue color channels can be adjusted individually by moving the sliders for min and max values. The gradient color brush gives you a hint about the resulting color range, but it needs much experience to define a color range properly to get the expected results.

Sample Detection Parameters

Adjust minimum and maximum color values:

Red	<input type="range"/>	<input type="text" value="205"/>	<input type="text" value="255"/>	<input type="range"/>
Green	<input type="range"/>	<input type="text" value="84"/>	<input type="text" value="255"/>	<input type="range"/>
Blue	<input type="range"/>	<input type="text" value="40"/>	<input type="text" value="108"/>	<input type="range"/>
Grey	<input type="range"/>	<input type="color" value="#C0504D"/>	<input type="color" value="#FFD700"/>	<input type="range"/>

Minimum point distance:

Create separate samples

Identifier text: Enumeration:

Chapter 2.15: Selecting Samples

The samples which have been created or loaded may be switched off and on in several ways:

- At the Sample List using the toggle buttons
- At the working area by clicking the objects
- At the working area using the Frame

Switching the toggle buttons of the Sample List with the left mouse button will hide or show the corresponding sample.

Using the right mouse button will effect all samples except the corresponding one and the background map:

- When right clicking on an active toggle button, all other samples will be switched off.
- When right clicking on an inactive toggle button, all other samples will be switched on.

Since version 2.2.9.0 the samples may also be switched directly on the working area in a similar way:

- Left click on a visible/invisible sample will hide/show the sample.
- Right click on a visible sample will switch off all other samples.
- Right click on a invisible sample will switch on all other samples.

To be able to locate the 'invisible' switched off samples on the working area (e.g. to switch them on again) the opacity of them can be set in the [GIS-Editor Settings](#). 100% means fully visible, 0% means invisible.

Note: The opacity has to be set **before** the samples are loaded or created! The value is part of the corresponding object and cannot be changed afterwards.

If there is a big amount of samples loaded to the working area it might be desirable to make a preselection before switching them one by one. For this select Shift mode and enable the Frame in the [GIS-Editor Settings](#). Adjust the position and size of the Frame, then click on the Frame area with the right mouse button to switch on all samples within the frame and switch off all samples outside.

